

Safety Strong. Efficiency Smart.

TP-99102 Revised 05-2013

TOOLBOX[™] 11

QUICK START GUIDE

A quick start guide for the downloading, installation and basic operation of Meritor WABCO TOOLBOX 11 PC diagnostic software.



2135 W Maple Road Troy, MI 48084 USA

Phone: 1-866-OnTracl (1-866-668-7221) E-mail: Ontrac@Meritor.com TODLBOX@meritorwabco.com

Introduction
TOOLBOX [™] 11 System Requirements
Installation
Hardware
Starting TOOLBOX [™] 11 Software
J1939 Diagnostics
Main Menu
Adapter Selection (J1939)
Vendor
Protocol
Adapter
J1708 Diagnostics
Main Menu
J1708 Main Menu
System Setup
Language
Select ECU
Adapter Selection (J1708)
Vendor
Protocol
Adapter
TOOLBOX [™] 11 Technical Support

Introduction

Meritor WABCO TOOLBOX[™] 11 provides computer based diagnostics for Meritor WABCO SAE J1939 and SAE J1708 vehicle control systems products. The program displays information of the vehicle system under test, displays active and stored diagnostic trouble codes, repair instructions and activates system components, verifying system integrity.

NOTE: For complete Meritor WABCO maintenance information, refer to the appropriate maintenance manual. Meritor WABCO publications are available on our website: meritorwabco.com



TOOLBOX[™] 11 System Requirements

Windows Operating SystemsWindows XPSP2Windows Vista:32-bit and 64-bit versionsWindows 7:32-bit and 64-bit versions

1GB of RAM 100 MB of HDD hard disk drive space (full Installation) Vehicle Diagnostic Adapter Internet Connection (software registration)

Mac Operating Systems Not Supported

Linux Operating Systems Not Supported



TOOLBOX[™] 11 Software Installation.

Prior to downloading TOOLBOXTM 11 please ensure your computer and hardware meet the requirements previously outlined in the System Requirements section of this Quick Start Guide.

When installing TOOLBOX[™] 11 it is highly recommended you close or disable any other programs that are currently running.

Some operating systems or corporate policies restrict the installation of software. Check with your IT department to verify that you have the appropriate administrative rights to continue with the installation.

Answer any prompts may be asked during the setup. TOOLBOXTM 11 will acknowledge a successful installation and automatically open to start the software registration process.

NOTE: TOOLBOX[™] 11 should be installed under "Administrator" with full rights for "All Users". Please check with your IT department.



Hardware

Unless wireless technology is to be used, diagnostic adapters require two connections for proper communications between the vehicle's hardware and TOOLBOXTM 11 software.

- 1. A connection between the computer's USB or Serial Port and the diagnostic adapter,
- 2. A connection between the diagnostic adapter and the vehicle's SAE diagnostic interface connector.

Please refer to your specific hardware manufacturer's installation and connection procedures. Please ensure you have the latest software drivers and firmware available for your specific diagnostic tool.

Drivers and firmware updates are readily available from your hardware manufacturer's website or by calling them directly. If properly installed and connected, your diagnostic adapter will be available for use within the TOOLBOXTM 11 software.

NOTE: TOOLBOX[™] 11 diagnostic software is only operational with Meritor WABCO vehicle products.

Starting the TOOLBOX[™] 11 Software



Selecting the TOOLBOXTM 11 icon opens the TOOLBOXTM main menu. The main menu provides multiple selections for testing and diagnosing Meritor WABCO systems. Each selection opens an independent diagnostic software package.

EXIT closes the TOOLBOX[™] 11 application and returns to the desktop environment.





Pneumatic ABS (J1939)

Selecting the Pneumatic ABS icon opens the TOOLBOX[™] 11 SAE J1939 Tractor diagnostics for Meritor WABCO 1939 ABS equipped vehicles. This application displays information from the vehicle ABS system under test, displays active and stored diagnostic trouble codes, and provides appropriate repair instructions. The application also provides a means to activate system components, verifying system integrity.



OnGuard[™]

Selecting the OnGuardTM icon opens the TOOLBOXTM 11 diagnostics for Meritor WABCO OnGuardTM equipped vehicles. This application displays information from the RADAR system under test, displays diagnostic trouble codes, and verifies system integrity.



ECAS CAN2 (Truck and Bus)

Selecting the ECAS icon opens the TOOLBOX[™] 11 diagnostics for Meritor WABCO ECAS equipped vehicles. This application displays information from the vehicle ECAS system under test, and displays diagnostic trouble codes. The application also provides a means to activate system components, verifying system integrity.



OnLane LDW

Selecting the OnLane Icon opens TOOLBOX[™] 11 diagnostics for Meritor WABCO OnLane equipped vehicles. This application displays diagnostic trouble codes.



J1708 TOOLBOX[™]

Selecting the J1708 TOOLBOX[™] Icon opens the J1708 TOOLBOX[™] diagnostics for Meritor WABCO equipped vehicles. The application is a earlier version of Meritor WABCO's PC diagnostic software. It provides a means to diagnose Tractor ABS, Trailer ABS, Hydraulic ABS, Hydraulic Power Brake ABS and ECAS systems. It displays information from the vehicle system under test, displays active and stored diagnostic trouble codes, and provides appropriate repair instructions. The application also provides a means to activate system components, verifying system integrity.



Utilities

Selecting this Icon opens the TOOLBOXTM 11 Utility Menu. The utility menu provides the means of configuring a diagnostic adapter. It includes a SAE J1939 bus monitoring tool, a software update checker and the software revision history for TOOLBOXTM 11. The menu utility also contains access to this Quick Start Guide for future reference.



Exit

Selecting the EXIT icon closes TOOLBOXTM 11 and returns to the desktop environment.

Adapter Selection J1939

The adapter selection menus provides the means to select and configure the diagnostic adapter to be used. Please ensure you have the latest software drivers and firmware available for your specific diagnostic tool. Drivers and firmware updates are readily available from your hardware manufacturer's website or by calling them directly. To configure a diagnostic adapter select the Utilities icon to open the Utilities Menu.



Select Adapter Selection.



Note: Adapters are only available if they are a compatible device and their drivers have been properly installed. If your device is not listed please re-install the appropriate adapter drivers or contact the adapter manufacturer.

Vendor

Click on the down arrow for a list of choices of diagnostic tools previously installed.

Adapter Selection	X
Adapter Settings	1
Vendor:	
NEXIQ Technologies WVL2	
Noregon Systems, Inc. Noregon/Vansco RP1210A NEXIQ Technologies Noregon Systems Inc., DLA+ Adapter Noregon RP1210A IC4 Interface Device Movimento	
<u> </u>	-

Protocol

Click on the down arrow for the protocol choices.

Adapter Selection	X
Adapter Settings	
Vendor:	
Noregon Systems Inc., DLA+PLC Adapter 📃 💌	
Protocol:	
J1939	
Adapter:	
DLA+PLC, USB	
<u>O</u> K <u>C</u> ancel	

Note: Changing protocols during the use of TOOLBOXTM 11 software requires an ignition or power cycle. This is required to reset the hardware and properly establish communications.

Adapter

Click on the down arrow for the adapter choices.

Adapter Selection	X
Adapter Settings	
Vendor:	
Noregon Systems Inc., DLA+PLC Adapter 📃	
Protocol:	
J1939 💌	
Adapter:	
DLA+PLC, USB	
<u>O</u> K <u>C</u> ancel	

Once the correct settings have been selected click OK to accept and close the adapter selection window.

Note: Some vendors may have multiple adapters selections. Please refer to your specific hardware manufactures manual to determine specific adapter type and capabilities.

TOOLBOX[™] J1708 Main Menu



Selecting the TOOLBOX[™] J1708 icon opens the TOOLBOX J1708 main menu. The main menu provides multiple selections for testing and diagnosing Meritor WABCO SAE J1708 systems. Each selection opens an independent diagnostic software package.



Exit EXIT closes the J1708 TOOLBOXTM main menu.



Tractor ABS

Selecting this software application opens the TOOLBOX[™] SAE J1708 Tractor diagnostics for Meritor WABCO ABS equipped vehicles. This application displays information from the vehicle's ABS system under test, displays active and stored diagnostic fault codes, and provides appropriate repair instructions. The application also provides a means to activate system components, verifying system integrity.



Hydraulic ABS

Selecting this software application opens the TOOLBOX[™] SAE J1708 Hydraulic ABS diagnostics for Meritor WABCO hydraulic ABS equipped vehicles. This application displays information from the vehicle ABS system under test, displays active and stored diagnostic fault codes, and provides appropriate repair instructions. The application also provides a means to activate system components, verifying system integrity.



ECAS

Selecting this software application opens the TOOLBOXTM SAE J1708 ECAS diagnostics for Meritor WABCO equipped vehicles. This application displays information from the vehicle ECAS system under test, displays active and stored diagnostic fault codes. The application also provides a means to activate system components, verifying system integrity,



RSS*plus* Trailer ABS

Selecting this software application opens the TOOLBOX[™] SAE J1708\PLC Trailer diagnostics for Meritor WABCO RSS*plus* equipped trailers. This application displays information from the trailer ABS system under test, displays active and stored diagnostic fault codes, and provides appropriate repair instructions. The application also provides a means to activate system components, verifying system integrity.

Configure Diagnostic Adapter in TOOLBOX™ J1708

Select System Setup then Adapter Selection from the main menu.

🚍 Meritor V	АВСО Т	OOLBOX	
System Setup	Help		
Language Select ECU	•		RSS
Adapter Sele	ection	· · · · · ·	
Password	43		
Exit			

The Adapter Selection window provides the ability to select a diagnostic adapter to be used. If the diagnostics adapter software and drivers were properly installed, they will be available.

A	dapter Selection	
	Adapter Settings	
	Vendor:	
	Noregon Systems Inc., DLA+PLC Adapter	
	Protocol:	~
	J1708	-
	Adapter:	
	DLA+PLC, USB	-
	<u>O</u> K <u>C</u> ancel	

NOTE: Please ensure you have the latest software drivers and firmware available for your specific diagnostic tool. Drivers and firmware updates are readily available from your hardware manufacturer's website or by calling them directly.

Vendor

Click on the down arrow for a list of choices of diagnostic tools previously installed.

Note: Your specific adapter is only available if it is a compatible device and the software drivers have been properly installed. If your device is not listed please re-install the appropriate adapter drivers or contact the manufacturer. Vendor name and specifics should appear on the parts label of the adapter or its documentation.

Adapter Selection	X
Adapter Settings	
Vendor:	
Noregon Systems Inc., DLA+PLC Adapter 🔹	
Noregon Systems, Inc. A Noregon/Vansco RP1210A	
NEXIQ Technologies Noregon Systems Inc., DLA+ Adapter	
Noregon Systems Inc., DLA+PLC Adapter Sector RP1210A	
Movimento	
<u>O</u> K <u>C</u> ancel	

Protocol

Click on the down arrow for the protocol choices.

Adapter Selection	X
Adapter Settings	1
Vendor:	
Noregon Systems Inc., DLA+PLC Adapter 📃 💌	
Protocol:	
J1708	
Adapter:	
DLA+PLC, USB	
<u>O</u> K <u>C</u> ancel	

Note: Changing protocols during the use of TOOLBOX[™] software requires an ignition or power cycle to reset hardware properly.

Adapter

Click on the down arrow for the adapter choices.

Adapter Selection
Adapter Settings
Vendor:
Noregon Systems Inc., DLA+PLC Adapter
Protocol:
J1708
Adapter:
DLA+PLC, USB
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
<u> </u>

Once the correct settings have been selected click OK to accept and close the adapter selection window.

**Note:** Some vendors may have multiple adapters and choice selections. Please refer to your specific hardware manufactures manual to determine specific type and capabilities.

# Language Setting

System Setup from the main menu, then Language . The default setting is English. Select the appropriate language and OK to accept the selection.

Select Language	
English	ОК
Spanist <mark>English</mark>	Cancel

# Select ECU for Diagnostics

To select an ECU for diagnostics, click on the appropriate Meritor WABCO ECU icon or use the select ECU menu under System Setup.



🚍 Meritor WABCO TOOLBOX 🛛 🖃 🗖 🔀				
System Setup	Help			
Language			RSS	
Select ECU	•	Tractor ABS	Ctrl+A	Ν
Adapter Sele	ection	Trailer ABS	Ctrl+T	μž
Password		Hydraulic ABS	Ctrl+H	
		Bus ECAS	Ctrl+B	
EXIL		Trailer RSS	Ctrl+S	
	L			_

**NOTE:** TOOLBOX[™] diagnostic software is only operational with Meritor WABCO vehicle products.

#### Help

Contact the Meritor Customer Service Center: 1-866-OnTrac1 (1-866-668-7221) E-mail: OnTrac@Meritor.com